

略歴・研究業績

小室 貴士

【略歴】

学歴

1999 年 3 月	名古屋大学理学部化学科	卒業
1999 年 4 月	名古屋大学大学院理学研究科物質理学専攻	博士課程（前期課程） 入学
2001 年 3 月	同 上	修了
2001 年 4 月	名古屋大学大学院理学研究科物質理学専攻	博士課程（後期課程） 入学
2004 年 3 月	同 上	修了

職歴

2004 年 4 月 1 日～2004 年 8 月 31 日	日本学術振興会特別研究員（所属：分子科学研究所）
2004 年 9 月 1 日～2007 年 3 月 31 日	東北大学大学院理学研究科化学専攻 助手
2007 年 4 月 1 日～2021 年 3 月 31 日	東北大学大学院理学研究科化学専攻 助教
2021 年 4 月 1 日～現在	東北大学大学院理学研究科化学専攻 講師

【研究業績】

原著論文(査読有)（著者名, 題目, 掲載誌名, 巻, ページ, 年）

1. C. Fukushi, **T. Komuro**, H. Hashimoto, Dinuclear iridium complexes ligated by lithium-ion endohedral fullerene $\text{Li}^+@C_{60}$, *Chem. Commun.*, **61**, 2273–2276 (2025). (**Inside Front Cover**)
2. **T. Komuro**, K. Hayasaka, K. Takahashi, N. Ishiwata, K. Yamauchi, H. Tobita, H. Hashimoto, Iron complexes supported by silyl-NHC chelate ligands: synthesis and use for double hydroboration of nitriles, *Dalton Trans.*, **53**, 4041–4047 (2024). (**Hot Article**)
3. K. Sato, **T. Komuro**, S. Imashuku, H. Li, T. Ichitsubo, H. Hashimoto, Transition Metal Parent Alumylene Complexes: Synthesis, Structures, and XPS Characterization of Aluminum Oxidation State, *Inorg. Chem.*, **63**, 16940–16948 (2024).
4. **T. Komuro**, D. Mochizuki, H. Hashimoto, H. Tobita, Iridium and rhodium complexes bearing a silyl-bipyridine pincer ligand: synthesis, structures and catalytic activity for C–H borylation of arenes, *Dalton Trans.*, **51**, 9983–9987 (2022).
5. **T. Komuro**, Y. Nakajima, J. Takaya, H. Hashimoto, Recent progress in transition metal complexes supported by multidentate ligands featuring group 13 and 14 elements as coordinating atoms, *Coord. Chem. Rev.*, **473**, 214837 (2022).
6. K. Sato, **T. Komuro**, T. Osawa, H. Hashimoto, H. Tobita, Iridium Complexes with a Naphthyridine-Based *Si,N*-Ligand: Synthesis and Catalytic Activity toward Olefin Hydrogenation, *Organometallics*, **41**, 2612–2621 (2022).
7. **T. Komuro**, J. Asagami, H. Higashi, K. Sato, H. Hashimoto, H. Tobita, Catalysts for Regio- and Stereoselective $\text{C}(\text{sp}^3)\text{--H}$ Deuteration of Tricyclohexylphosphine with Benzene- d_6 Generated via Dehydrochlorination of Chlorido(dihydrido)iridium Complexes Containing a Xanthene-Based Bis(silyl) Chelate Ligand, *Organometallics*, **40**, 3113–3123 (2021).

8. K. Sato, **T. Komuro**, H. Hashimoto, and H. Tobita, Bifunctional Rhodium Complex Featuring a Silyl–1,8-naphthyridine *Si,N*-Chelate Ligand: Cooperation of Metal and Pendant Base for Capture and Bond-weakening of BH₃, *Chem. Lett.*, **49**, 1431–1434 (2020).
9. T. Kitano, **T. Komuro**, K. Sato, and H. Tobita, Synthesis of ruthenium–bis(silyl) chelate complexes without carbonyl ligands by reactions of a bis(allyl)ruthenium(II) complex with bis(hydrosilyl)xanthene and phosphines, *J. Organomet. Chem.*, **919**, 121316 (2020).
10. **T. Komuro**, T. Osawa, R. Suzuki, D. Mochizuki, H. Higashi, and H. Tobita, Silyl–pyridine–amine pincer-ligated iridium complexes for catalytic silane deuteration *via* room temperature C–D bond activation of benzene-*d*₆, *Chem. Commun.*, **55**, 957–960 (2019).
11. T. Kitano, **T. Komuro**, and H. Tobita, Double and Single Hydroboration of Nitriles Catalyzed by a Ruthenium–Bis(silyl)xanthene Complex: Application to One-Pot Synthesis of Diarylamines and *N*-Arylimines, *Organometallics*, **38**, 1417–1420 (2019).
12. 小室 貴士, 飛田 博実, キサンテンで連結されたキレート型シリル配位子をもつ金属錯体の合成と特異な触媒作用, 有機合成化学協会誌, **76**, 1301–1309 (2018).
13. I. Kusuma, **T. Komuro**, and H. Tobita, Diruthenium Complexes with a 1,8-Naphthyridine-based Bis(silyl) Supporting Ligand: Synthesis and Structures of Complexes Containing Ru^{II}₂(μ-H)₂ and Ru^I₂ Cores, *Chem. Lett.*, **47**, 400–403 (2018).
14. T. Kitano, **T. Komuro**, R. Ono, and H. Tobita, Tandem Hydrosilylation/*o*-C–H Silylation of Arylalkynes Catalyzed by Ruthenium Bis(silyl) Aminophosphine Complexes, *Organometallics*, **36**, 2710–2713 (2017).
15. **T. Komuro**, T. Kitano, N. Yamahira, K. Ohta, S. Okawara, N. Mager, M. Okazaki, and H. Tobita, Directed *ortho*-C–H Silylation Coupled with *trans*-Selective Hydrogenation of Arylalkynes Catalyzed by Ruthenium Complexes of a Xanthene-Based *Si,O,Si*-Chelate Ligand, “Xantsil”, *Organometallics*, **35**, 1209–1217 (2016).
16. **T. Komuro**, T. Arai, K. Kikuchi, and H. Tobita, Synthesis of Ruthenium Complexes with a Nonspectator *Si,O,P*-Chelate Ligand: Interconversion between a Hydrido(η²-silane) Complex and a Silyl Complex Leading to Catalytic Alkene Hydrogenation, *Organometallics*, **34**, 1211–1217 (2015).
17. Y. Kanno, **T. Komuro**, and H. Tobita, Direct Conversion of a Si–C(aryl) Bond to Si–Heteroatom Bonds in the Reactions of η³-α-Silabenzyl Molybdenum and Tungsten Complexes with 2-Substituted Pyridines, *Organometallics*, **34**, 3699–3705 (2015). (**ACS Editor’s Choice**)
18. **T. Komuro**, K. Furuyama, T. Kitano, and H. Tobita, Synthesis of a 14-electron iridium(III) complex with a xanthene-based bis(silyl) chelate ligand (xantsil): A distorted seesaw-shaped four-coordinate geometry and reactions leading to 16-electron complexes, *J. Organomet. Chem.*, **751**, 686–694 (2014).
19. Y. Kanno, **T. Komuro**, and H. Tobita, Insertion of carbon monoxide into an aldehyde C=O double bond induced by an (η³-α-silabenzyl)carbonylmolybdenum complex, *RSC Adv.*, **4**, 19068–19071 (2014).
20. T. Watanabe, M. F. Itoh, **T. Komuro**, H. Okada, T. Sakai, Y. Ono, K. Kawachi, Y. Kasama, and H. Tobita, Iridium and Platinum Complexes of Li⁺@C₆₀, *Organometallics*, **33**, 608–611 (2014).
21. **T. Komuro**, Y. Kanno, and H. Tobita, Synthesis, Structure, and Reactions of a (η³-α-silabenzyl)molybdenum Complex: A Synthetic Equivalent of Coordinatively Unsaturated Silyl Complex, *Organometallics*, **32**, 2795–2803 (2013).

22. E. Suzuki, **T. Komuro**, Y. Kanno, and H. Tobita, (η^3 - α -Silabenzyl)tungsten Complexes: An Isolable Intermediate for Interconversion between a Silylene Complex and a Silyl Complex through 1,2-Aryl Migration, *Organometallics*, **32**, 748–751 (2013).
23. **T. Komuro**, S. Okawara, K. Furuyama, and H. Tobita, Silane(silyl) and Bis(silyl)hydrido Manganese Complexes with Different Mn···H···Si Interaction: Observation of Gradual Si–H Bond Activation on the Metal Center, *Chem. Lett.*, **41**, 774–776 (2012). (**Editor's Choice**)
24. H. Okada, **T. Komuro**, T. Sakai, Y. Matsuo, Y. Ono, K. Omote, K. Yokoo, K. Kawachi, Y. Kasama, S. Ono, R. Hatakeyama, T. Kaneko, and H. Tobita, Preparation of endohedral fullerene containing lithium (Li@C₆₀) and isolation as pure hexafluorophosphate salt ([Li@C₆₀][PF₆[−]]), *RSC Adv.*, **2**, 10624–10631 (2012).
25. **T. Komuro**, R. Begum, R. Ono, and H. Tobita, Synthesis and characterisation of hydrido molybdenum and tungsten complexes having a hemilabile tridentate Si,Si,O-ligand: observation of stepwise hydrosilylation of a nitrile to form an *N*-silylimine on the metal centre, *Dalton Trans.*, **40**, 2348–2357 (2011).
26. S. Aoyagi, E. Nishibori, H. Sawa, K. Sugimoto, M. Takata, Y. Miyata, R. Kitaura, H. Shinohara, H. Okada, T. Sakai, Y. Ono, K. Kawachi, K. Yokoo, S. Ono, K. Omote, Y. Kasama, S. Ishikawa, **T. Komuro**, and H. Tobita, A layered ionic crystal of polar Li@C₆₀ superatoms, *Nat. Chem.*, **2**, 678–683 (2010).
27. E. Suzuki, **T. Komuro**, Y. Kanno, M. Okazaki, and H. Tobita, Facile 1,2-Migration of a Methyl Group on a {Dimethoxy(methyl)silyl}tungsten Complex: Formation of a Base-Stabilized (Dimethoxysilylene)(methyl) Complex, *Organometallics*, **29**, 5296–5300 (2010).
28. **T. Komuro** and H. Tobita, Thermal reaction of a ruthenium bis(silyl) complex having a lutidine-based Si,N,Si ligand: formation of a μ -silyl(μ -silylene) diruthenium complex involving a 3c–2e Ru–Si–C interaction, *Chem. Commun.*, **46**, 1136–1137 (2010).
29. E. Suzuki, **T. Komuro**, Y. Kanno, M. Okazaki, and H. Tobita, Synthesis and Characterization of κ^2 C,*N*-*N*-Silyliminoacyl Tungsten Complexes Cp*(CO)₂W{ κ^2 C,*N*-C(R)=NSiR'₃} [R = Me, Et, *i*-Pr, *t*-Bu; R'₃ = (*p*-Tol)₂Me, (*p*-Tol)₃, Et₃; Cp* = η^5 -C₅Me₅]: Thermally Induced Carbon–Carbon Bond Cleavage of Their Iminoacyl Ligands, *Organometallics*, **29**, 1839–1848 (2010).
30. E. Suzuki, **T. Komuro**, M. Okazaki, and H. Tobita, Synthesis and Characterization of DMAP-Stabilized Aryl(silylene) Complexes and (Arylsilyl)(DMAP) Complexes of Tungsten: Mechanistic Study on the Interconversion between These Complexes via 1,2-Aryl Migration, *Organometallics*, **28**, 1791–1799 (2009).
31. **T. Komuro**, K. Mori, and H. Tobita, Synthesis and Structures of Alkynylchlorocyclotriphosphazenes and Their Cluster-forming Reactions with Octacarbonyldicobalt, *Heterocycles*, **77**, 1171–1183 (2009).
32. M. Okazaki, T. Yoshitomi, J. Naito, A. Sato, **T. Komuro**, and H. Tobita, Recombination of an Fe–Si–P Linkage to an Fe–P–Si Linkage through an Isolable Intermediate Phosphasilaferracyclopropane, *J. Am. Chem. Soc.*, **130**, 17674–17675 (2008).
33. H. Tobita, N. Yamahira, K. Ohta, **T. Komuro**, and M. Okazaki, New hydrosilylation reaction of arylacetylene accompanied by C–H bond activation catalyzed by a xantsil ruthenium complex, *Pure Appl. Chem.*, **80**, 1155–1160 (2008).
34. M. Okazaki, N. Yamahira, J. J. G. Minglana, **T. Komuro**, H. Ogino, and H. Tobita, [Ru(xantsil)(CO)(η^6 -toluene)]: Synthron for a Highly Unsaturated Ruthenium(II) Complex through

Facile Dissociation of the Toluene Ligand [xantsil = (9,9-dimethylxanthene-4,5-diyl)bis(dimethylsilyl)], *Organometallics*, **27**, 918–926 (2008).

35. J. J. G. Minglana, M. Okazaki, K. Hasegawa, L.-S. Luh, N. Yamahira, **T. Komuro**, H. Ogino, and H. Tobita, Iron, Ruthenium, and Osmium Complexes Supported by the Bis(silyl) Chelate Ligand (9,9-Dimethylxanthene-4,5-diyl)bis(dimethylsilyl): Synthesis, Characterization, and Reactivity, *Organometallics*, **26**, 5859–5866 (2007).
36. M. Okazaki, H. Kimura, **T. Komuro**, H. Okada, and H. Tobita, Synthesis, Structure, and Properties of Three- and Six-Membered Metallacycles Composed of Iron, Germanium, and Sulfur Atoms, *Chem. Lett.*, **36**, 990–991 (2007).
37. E. Suzuki, **T. Komuro**, M. Okazaki, and H. Tobita, Three- and Five-Membered W/C/N Metallacycles Formed by Incorporation of Acetonitrile Molecules into Silyltungsten Intermediates, *Organometallics*, **26**, 4379–4382 (2007).
38. R. Begum, **T. Komuro**, and H. Tobita, The First Resonance Hybrid of Silyl–Carbene and Pyridyl–Silylene Complexes: Formation by Aryl C–H Bond Activation of DMAP [4-(Dimethylamino)pyridine] on a Silylene Complex, *Chem. Lett.*, **36**, 650–651 (2007).
39. **T. Komuro**, H. Kawaguchi, J. Lang, T. Nagasawa, and K. Tatsumi, [MoFe₃S₄]³⁺ and [MoFe₃S₄]²⁺ Cubane Clusters Containing a Pentamethylcyclopentadienyl Molybdenum Moiety, *J. Organomet. Chem.*, **692**, 1–9 (2007).
40. R. Begum, **T. Komuro**, and H. Tobita, Group 6 metal complexes with a hemilabile tridentate xantsil ligand and facile insertion of ^tBuCN into a W–Si bond [xantsil = (9,9-dimethylxanthene-4,5-diyl)bis(dimethylsilyl)], *Chem. Commun.*, 432–433 (2006).
41. **T. Komuro**, T. Matsuo, H. Kawaguchi, and K. Tatsumi, Synthesis of a Vanadium(III) Tris(arylthiolato) Complex and Its Reactions with Azide and Azo Compounds: Formation of a Sulfenamide Complex via Cleavage of an Azo N=N Bond, *Inorg. Chem.*, **44**, 175–177 (2005).
42. **T. Komuro**, T. Matsuo, H. Kawaguchi, and K. Tatsumi, Synthesis and structural characterization of silanethiolato complexes having *tert*-butyldimethylsilyl and trimethylsilyl groups, *Dalton Trans.*, 1618–1625 (2004).
43. **T. Komuro**, T. Matsuo, H. Kawaguchi, and K. Tatsumi, Coordination Chemistry of Silanedithiolato Ligands Derived from Cyclotrisilathiane: Synthesis and Structures of Complexes of Iron(II), Cobalt(II), Palladium(II), Copper(I), and Silver(I), *Inorg. Chem.*, **42**, 5340–5347 (2003).
44. **T. Komuro**, T. Matsuo, H. Kawaguchi, and K. Tatsumi, Unusual Coordination Modes of Arylthiolates in Mo{ η^5 -SC₆H₃-2,6-(SiMe₃)₂}{ η^7 -SC₆H₃-2,6-(SiMe₃)₂}, *J. Am. Chem. Soc.*, **125**, 2070–2071 (2003).
45. **T. Komuro**, T. Matsuo, H. Kawaguchi, and K. Tatsumi, Copper and Silver Complexes Containing the S(SiMe₂S)₂²⁻ Ligand: Efficient Entries into Heterometallic Sulfido Clusters, *Angew. Chem. Int. Ed.*, **42**, 465–468 (2003). (**Hot Paper**)
46. **T. Komuro**, H. Kawaguchi, and K. Tatsumi, Synthesis and Reactions of Triphenylsilanethiolato Complexes of Manganese(II), Iron(II), Cobalt(II), and Nickel(II), *Inorg. Chem.*, **41**, 5083–5090 (2002).
47. **T. Komuro**, T. Matsuo, H. Kawaguchi, and K. Tatsumi, Palladium dimethylsilanedithiolato complex: a precursor for Ti–Pd and Ti–Pd₂ heterometallic complexes, *Chem. Commun.*, 988–989 (2002).

解説記事

1. 小室 貴士, リン鉱石からリン化合物への新しい道筋, 化学, Vol. 73, No. 10, pp. 64–65 (2018).
2. 小室 貴士, シリルキレート配位子を持つ金属錯体触媒を用いたC–H結合および小分子の変換に関する最近の展開, *Bull. Jpn. Soc. Coord. Chem.*, **70**, 36–39 (2017).
3. 小室 貴士, メタンの C–H ホウ素化, *Organometallic News* (有機金属ハイライト), No. 2, p. 73 (2016).

受賞 (受賞年月, 受賞名称)

2018 年 3 月, International Congress on Pure & Applied Chemistry (ICPAC) 2018 Lecture Award